



## LED LAMPS

# ProLED® GU24 A19 Omnidirectional Series



Omnidirectional



Enclosed Rated



ENERGY STAR®

ProLED® GU24 Omnidirectional A-Shape Series lamps offer an economical and even more energy efficient alternative to non-dimmable compact fluorescent lamps



**Omnidirectional Optical Design Provides 230° Light Distribution**

**UL Listed for Damp Location & Enclosed Luminaires**

**ENERGY STAR® Certified**

**Backed by a 3-Year Warranty**

### **Applications:**

Home  
Education  
Hospitality  
Retail

### **Markets:**

Residential  
Commercial

**Halco**  
LIGHTING TECHNOLOGIES

Contact Your Customer Care Specialist  
For Pricing, Orders And Technical Support.  
**800.677.3334** [www.halcolighting.com](http://www.halcolighting.com)


# ProLED®

## GU24 A19 Omnidirectional Series


Product #: \_\_\_\_\_ Type: \_\_\_\_\_  
 Project: \_\_\_\_\_ Date: \_\_\_\_\_  
 Comments: \_\_\_\_\_ Initials: \_\_\_\_\_

### Specifications

- Available in 2700K, 3000K, 4000K or 5000K CCT
- UL Listed for damp location and enclosed luminaires
- 230° degree beam angle creates uniform distribution of light
- 3-year warranty
- Rated for ICAT fixtures
- Non-Dimmable



### Savings Comparison



### Ordering Information



	Watts	Base	Product #	Product Code	Volts	Color Temp.	CRI	Lumens	Useful Life*	Beam Angle	Pkg. Qty.	MOL	Equivalent CFL Wattage
⊕	3/9/12	Medium	83191	A19FR3/9/12/830/3-WAY/LED	120	3000K	82	280/950/1200	15,000	220°	1/6	4.646	30/70/100
⊕	9.5	GU24	83180	A19FR9/827/OMNI2/GU24/LED	120	2700K	82	800	15,000	220°	1/6	4.331	60
⊕	9.5	GU24	83181	A19FR9/830/OMNI2/GU24/LED	120	3000K	82	800	15,000	220°	1/6	4.331	60
⊕	9.5	GU24	83182	A19FR9/840/OMNI2/GU24/LED	120	4000K	82	800	15,000	220°	1/6	4.331	60
⊕	9.5	GU24	83183	A19FR9/850/OMNI2/GU24/LED	120	5000K	82	800	15,000	220°	1/6	4.331	60
⊕	11.5	GU24	83184	A19FR11/827/OMNI2/GU24/LED	120	2700K	82	1100	15,000	220°	1/6	4.331	75
⊕	15.5	GU24	83189	A19FR15/840/OMNI2/GU24/LED	120	4000K	82	1600	15,000	220°	1/6	4.331	100

⊕ NEW ITEM!

\* Useful Life is defined as the point in time at which the lamp will maintain at least 70% of its initial lumens. The lamp will continue to burn past this point, but at decreased light levels.

Represents lamps that are ENERGY STAR® certified.

Warranty – Commercial / Industrial: This product is warranted for 3 years from the date of purchase.

15,000 hour useful life rating is based on a maximum ambient temperature of 45°C. Exceeding this ambient temperature rating may result in reduced life.

Halco Lighting Technologies 2940 Pacific Drive | Norcross, GA 30071 | Toll Free 800.677.3334 | Phone 770.242.3612 | Fax 800.880.0822 | halcolighting.com | Atlanta | Chicago | Cleveland | Houston | Los Angeles | Phoenix

©2018 Halco Lighting Technologies, LLC. All rights reserved. Halco and ProLED are registered trademarks of Halco Lighting Technologies. All sizes and specifications are subject to change. 08-08-18. Re-order #9117